

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* ALAMANCE			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* ALAMANCE			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* ALAMANCE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	80	1	Fall, Unintentional	1,907	1	Fall, Unintentional	3,157
2	Fall, Unintentional	60	2	MVT, Unintentional	478	2	MVT, Unintentional	1,657
3	Poisoning, Unintentional	38	3	Poisoning, Self inflicted	347	3	Unspecified, Unintentional	1,481
4	Firearm, Self inflicted	36	4	Unspecified, Unintentional	273	4	Struck, Unintentional; Overexertion, Unintentional	1,213
5	Unspecified, Unintentional	28	5	Other spec/class, Unintentional	191	5	Cut/ Pierce, Unintentional	759
	Other	109		Other	938		Other	2,626
<b>TOTAL</b>		<b>351</b>	<b>TOTAL</b>		<b>4,134</b>	<b>TOTAL</b>		<b>12,106</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* ALEXANDER			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* ALEXANDER			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* ALEXANDER		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	32	1	Fall, Unintentional	391	1	Fall, Unintentional	1,373
2	Poisoning, Unintentional; Firearm, Self inflicted	21	2	MVT, Unintentional	162	2	MVT, Unintentional	669
3	Fall, Unintentional	17	3	Poisoning, Self inflicted	113	3	Overexertion, Unintentional	592
4	Unspecified, Unintentional; Poisoning, Self inflicted	6	4	Unspecified, Unintentional	73	4	Struck, Unintentional	588
5	Transport, other, Unintentional	4	5	Other spec/class, Unintentional	69	5	Unspecified, Unintentional	340
	Other	18		Other	308		Other	1,409
<b>TOTAL</b>		<b>125</b>	<b>TOTAL</b>		<b>1,116</b>	<b>TOTAL</b>		<b>4,971</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* ALLEGHANY			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* ALLEGHANY			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* ALLEGHANY		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Firearm, Self inflicted	6	1	Fall, Unintentional	133	1	Fall, Unintentional	862
2	MVT, Unintentional	5	2	MVT, Unintentional	57	2	Struck, Unintentional	365
3	Unspecified, Unintentional; Poisoning, Unintentional; Fall, Unintentional	4	3	Unspecified, Unintentional	22	3	Overexertion, Unintentional	327
4	Poisoning, Self inflicted; Firearm, Assault	3	4	Other spec/class, Unintentional	19	4	Unspecified, Unintentional	323
5	Fire/ Burn, Unintentional	2	5	Poisoning, Self inflicted	14	5	MVT, Unintentional	285
	Other	2		Other	84		Other	998
<b>TOTAL</b>		<b>33</b>	<b>TOTAL</b>		<b>329</b>	<b>TOTAL</b>		<b>3,160</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* ANSON			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* ANSON			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* ANSON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	28	1	Fall, Unintentional	308	1	Fall, Unintentional	363
2	Poisoning, Unintentional	10	2	MVT, Unintentional	115	2	MVT, Unintentional	246
3	Firearm, Assault	8	3	Unspecified, Unintentional	65	3	Unspecified, Unintentional	184
4	Firearm, Self inflicted	7	4	Natural/ Environ, Unintentional	55	4	Overexertion, Unintentional	176
5	Fall, Unintentional	6	5	Other spec/class, Unintentional	42	5	Cut/ Pierce, Unintentional	131
	Other	22		Other	243		Other	505
<b>TOTAL</b>		<b>81</b>	<b>TOTAL</b>		<b>828</b>	<b>TOTAL</b>		<b>1,605</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* ASHE			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* ASHE			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* ASHE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	23	1	Fall, Unintentional	406	1	Fall, Unintentional	207
2	Firearm, Self inflicted	22	2	MVT, Unintentional	98	2	Struck, Unintentional; MVT, Unintentional	78
3	Poisoning, Unintentional	9	3	Unspecified, Unintentional	49	3	Overexertion, Unintentional	75
4	Fall, Unintentional	5	4	Poisoning, Self inflicted	45	4	Other spec/class, Unintentional	46
5	Drowning, Unintentional	4	5	Poisoning, Unintentional	42	5	Unspecified, Unintentional	40
	Other	25		Other	193		Other	145
<b>TOTAL</b>		<b>88</b>	<b>TOTAL</b>		<b>833</b>	<b>TOTAL</b>		<b>669</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* AVERY			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* AVERY			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* AVERY		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	13	1	Fall, Unintentional	253	1	Fall, Unintentional	565
2	Firearm, Self inflicted	11	2	MVT, Unintentional	49	2	Struck, Unintentional	238
3	MVT, Unintentional	7	3	Unspecified, Unintentional; Poisoning, Unintentional	27	3	Overexertion, Unintentional	229
4	Fall, Unintentional	6	4	Poisoning, Self inflicted	23	4	MVT, Unintentional	201
5	Unspecified, Unintentional	5	5	Other spec/class, Unintentional	22	5	Cut/ Pierce, Unintentional	189
	Other	13		Other	117		Other	431
<b>TOTAL</b>		<b>55</b>	<b>TOTAL</b>		<b>518</b>	<b>TOTAL</b>		<b>1,853</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* BEAUFORT			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* BEAUFORT			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* BEAUFORT		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	44	1	Fall, Unintentional	572	1	Fall, Unintentional	2,691
2	Firearm, Self inflicted	20	2	MVT, Unintentional	180	2	MVT, Unintentional	1,459
3	Fall, Unintentional	14	3	Poisoning, Self inflicted	84	3	Struck, Unintentional	1,272
4	Poisoning, Unintentional	12	4	Other spec/class, Unintentional	76	4	Overexertion, Unintentional	1,083
5	Drowning, Unintentional	9	5	Poisoning, Unintentional	60	5	Cut/ Pierce, Unintentional	886
	Other	45		Other	379		Other	3,565
<b>TOTAL</b>		<b>144</b>	<b>TOTAL</b>		<b>1,351</b>	<b>TOTAL</b>		<b>10,956</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* BERTIE			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* BERTIE			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* BERTIE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	42	1	Fall, Unintentional	177	1	MVT, Unintentional	559
2	Fall, Unintentional	7	2	MVT, Unintentional	106	2	Fall, Unintentional	511
3	Fire/ Burn, Unintentional	4	3	Unspecified, Unintentional	62	3	Struck, Unintentional	224
4	Natural/ Environ, Unintentional	3	4	Other spec/class, Unintentional	33	4	Unspecified, Unintentional	185
5	Poisoning, Unintentional; Firearm, Self inflicted; Firearm, Assault; Drowning, Unintentional; Cut/ Pierce, Assault	2	5	Poisoning, Self inflicted	25	5	Overexertion, Unintentional	183
	Other	7		Other	129		Other	713
<b>TOTAL</b>		<b>73</b>	<b>TOTAL</b>		<b>532</b>	<b>TOTAL</b>		<b>2,375</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* BLADEN			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* BLADEN			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* BLADEN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	44	1	Fall, Unintentional	256	1	Fall, Unintentional	1,441
2	Poisoning, Unintentional	12	2	MVT, Unintentional	193	2	MVT, Unintentional	997
3	Firearm, Assault	11	3	Unspecified, Unintentional	99	3	Unspecified, Unintentional	863
4	Suffocation, Unintentional; Firearm, Self inflicted; Fire/ Burn, Unintentional	5	4	Other spec/class, Unintentional	86	4	Struck, Unintentional	522
5	Fall, Unintentional	4	5	Poisoning, Self inflicted	43	5	Overexertion, Unintentional	487
	Other	17		Other	279		Other	1,711
<b>TOTAL</b>		<b>103</b>	<b>TOTAL</b>		<b>956</b>	<b>TOTAL</b>		<b>6,021</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* BRUNSWICK			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* BRUNSWICK			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* BRUNSWICK		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	104	1	Fall, Unintentional	970	1	Fall, Unintentional	2,307
2	Poisoning, Unintentional	52	2	MVT, Unintentional	359	2	MVT, Unintentional	1,607
3	Firearm, Self inflicted	32	3	Other spec/class, Unintentional	251	3	Struck, Unintentional	785
4	Fall, Unintentional	18	4	Unspecified, Unintentional	182	4	Unspecified, Unintentional	694
5	Suffocation, Self inflicted; Firearm, Assault	13	5	Poisoning, Self inflicted	170	5	Overexertion, Unintentional	653
	Other	65		Other	708		Other	2,337
<b>TOTAL</b>		<b>297</b>	<b>TOTAL</b>		<b>2,640</b>	<b>TOTAL</b>		<b>8,383</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* BUNCOMBE			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* BUNCOMBE			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* BUNCOMBE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	121	1	Fall, Unintentional	2,812	1	Fall, Unintentional	3,372
2	Poisoning, Unintentional	118	2	MVT, Unintentional	705	2	MVT, Unintentional	2,399
3	Fall, Unintentional	89	3	Unspecified, Unintentional	564	3	Struck, Unintentional	790
4	Firearm, Self inflicted	68	4	Poisoning, Self inflicted	310	4	Unspecified, Unintentional	585
5	Firearm, Assault	26	5	Other spec/class, Unintentional	265	5	Overexertion, Unintentional	562
	Other	197		Other	1,342		Other	3,873
<b>TOTAL</b>		<b>619</b>	<b>TOTAL</b>		<b>5,998</b>	<b>TOTAL</b>		<b>11,581</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* BURKE			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* BURKE			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* BURKE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	78	1	Fall, Unintentional	1,199	1	Fall, Unintentional	4,913
2	MVT, Unintentional	71	2	Poisoning, Self inflicted	447	2	MVT, Unintentional	2,056
3	Firearm, Self inflicted	36	3	MVT, Unintentional	311	3	Struck, Unintentional	1,896
4	Fall, Unintentional	20	4	Unspecified, Unintentional	157	4	Overexertion, Unintentional	1,499
5	Suffocation, Unintentional	18	5	Other spec/class, Unintentional	144	5	Cut/ Pierce, Unintentional	1,435
	Other	88		Other	696		Other	5,892
<b>TOTAL</b>		<b>311</b>	<b>TOTAL</b>		<b>2,954</b>	<b>TOTAL</b>		<b>17,691</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* CABARRUS			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* CABARRUS			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* CABARRUS		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	95	1	Fall, Unintentional	2,139	1	Fall, Unintentional	4,900
2	Fall, Unintentional	84	2	MVT, Unintentional	561	2	MVT, Unintentional	2,459
3	Poisoning, Unintentional	81	3	Unspecified, Unintentional	534	3	Struck, Unintentional	2,356
4	Firearm, Self inflicted	39	4	Poisoning, Self inflicted	355	4	Overexertion, Unintentional	1,949
5	Unspecified, Unintentional; Suffocation, Unintentional	18	5	Poisoning, Unintentional	293	5	Unspecified, Unintentional	1,559
	Other	93		Other	1,246		Other	5,842
<b>TOTAL</b>		<b>428</b>	<b>TOTAL</b>		<b>5,128</b>	<b>TOTAL</b>		<b>19,065</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* CALDWELL			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* CALDWELL			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* CALDWELL		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	56	1	Fall, Unintentional	1,098	1	Fall, Unintentional	1,524
2	Poisoning, Unintentional	52	2	MVT, Unintentional	282	2	MVT, Unintentional	714
3	Firearm, Self inflicted	37	3	Poisoning, Self inflicted	269	3	Struck, Unintentional	646
4	Fall, Unintentional	17	4	Poisoning, Unintentional	121	4	Overexertion, Unintentional	613
5	Unspecified, Unintentional	16	5	Other spec/class, Unintentional	106	5	Cut/ Pierce, Unintentional	388
	Other	67		Other	590		Other	1,599
<b>TOTAL</b>		<b>245</b>	<b>TOTAL</b>		<b>2,466</b>	<b>TOTAL</b>		<b>5,484</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* CAMDEN			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* CAMDEN			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* CAMDEN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	9	1	Fall, Unintentional	59	1	MVT, Unintentional; Fall, Unintentional	31
2	Poisoning, Unintentional	8	2	Unspecified, Unintentional	19	2	Struck, Unintentional	18
3	Firearm, Self inflicted; Fall, Unintentional	3	3	Poisoning, Self inflicted	15	3	Transport, other, Unintentional	10
4	Poisoning, Self inflicted	2	4	MVT, Unintentional	7	4	Overexertion, Unintentional	8
5	Unspecified, Unintentional; Transport, other, Unintentional; Other spec/NEC, Assault; Firearm, Assault; Fire/ Burn, Self inflicted; Drowning, Unintentional	1	5	Poisoning, Unintentional; Natural/ Environ, Unintentional	6	5	Unspecified, Unintentional	6
	Other	0		Other	25		Other	20
<b>TOTAL</b>		<b>31</b>	<b>TOTAL</b>		<b>137</b>	<b>TOTAL</b>		<b>124</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* CARTERET			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* CARTERET			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* CARTERET		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	53	1	Fall, Unintentional	906	1	Fall, Unintentional	3,048
2	Poisoning, Unintentional	40	2	Poisoning, Self inflicted	171	2	Overexertion, Unintentional	1,408
3	Firearm, Self inflicted; Fall, Unintentional	30	3	MVT, Unintentional	169	3	Struck, Unintentional	1,354
4	Unspecified, Unintentional	13	4	Poisoning, Unintentional	152	4	MVT, Unintentional	1,121
5	Suffocation, Self inflicted; Poisoning, Self inflicted	7	5	Unspecified, Unintentional	141	5	Unspecified, Unintentional	806
	Other	39		Other	607		Other	3,458
<b>TOTAL</b>		<b>219</b>	<b>TOTAL</b>		<b>2,146</b>	<b>TOTAL</b>		<b>11,195</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* CASWELL			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* CASWELL			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* CASWELL		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	25	1	Fall, Unintentional	106	1	Fall, Unintentional	381
2	Poisoning, Unintentional	9	2	MVT, Unintentional	44	2	Overexertion, Unintentional	214
3	Fall, Unintentional	5	3	Other spec/class, Unintentional	25	3	MVT, Unintentional	213
4	Unspecified, Unintentional; Poisoning, Self inflicted	4	4	Poisoning, Self inflicted	18	4	Struck, Unintentional	186
5	Suffocation, Unintentional; Firearm, Self inflicted	3	5	Unspecified, Unintentional; Poisoning, Unintentional	16	5	Cut/ Pierce, Unintentional	154
	Other	11		Other	80		Other	553
<b>TOTAL</b>		<b>64</b>	<b>TOTAL</b>		<b>305</b>	<b>TOTAL</b>		<b>1,701</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* CATAWBA			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* CATAWBA			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* CATAWBA		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	102	1	Fall, Unintentional	1,444	1	Fall, Unintentional	4,712
2	Poisoning, Unintentional	73	2	Poisoning, Self inflicted	524	2	MVT, Unintentional	2,343
3	Firearm, Self inflicted	50	3	MVT, Unintentional	441	3	Struck, Unintentional	1,981
4	Fall, Unintentional	35	4	Other spec/class, Unintentional	338	4	Overexertion, Unintentional	1,963
5	Unspecified, Unintentional	26	5	Unspecified, Unintentional	235	5	Unspecified, Unintentional	1,398
	Other	121		Other	982		Other	4,929
<b>TOTAL</b>		<b>407</b>	<b>TOTAL</b>		<b>3,964</b>	<b>TOTAL</b>		<b>17,326</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* CHATHAM			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* CHATHAM			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* CHATHAM		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	66	1	Fall, Unintentional	503	1	Fall, Unintentional	1,593
2	Firearm, Self inflicted	17	2	MVT, Unintentional	213	2	Struck, Unintentional	691
3	Fall, Unintentional	13	3	Unspecified, Unintentional	89	3	Cut/ Pierce, Unintentional	660
4	Poisoning, Unintentional	12	4	Poisoning, Self inflicted	78	4	Overexertion, Unintentional	613
5	Unspecified, Unintentional; Suffocation, Unintentional	11	5	Other spec/class, Unintentional	67	5	MVT, Unintentional	583
	Other	45		Other	313		Other	1,820
<b>TOTAL</b>		<b>175</b>	<b>TOTAL</b>		<b>1,263</b>	<b>TOTAL</b>		<b>5,960</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* CHEROKEE			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* CHEROKEE			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* CHEROKEE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	27	1	Fall, Unintentional	346	1	Fall, Unintentional	610
2	MVT, Unintentional	17	2	Poisoning, Unintentional	102	2	MVT, Unintentional	377
3	Firearm, Self inflicted	13	3	Poisoning, Self inflicted	56	3	Struck, Unintentional	155
4	Fall, Unintentional	12	4	MVT, Unintentional	54	4	Unspecified, Unintentional	78
5	Unspecified, Unintentional	6	5	Unspecified, Unintentional	38	5	Transport, other, Unintentional	72
	Other	24		Other	183		Other	549
<b>TOTAL</b>		<b>99</b>	<b>TOTAL</b>		<b>779</b>	<b>TOTAL</b>		<b>1,841</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* CHOWAN			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* CHOWAN			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* CHOWAN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	10	1	Fall, Unintentional	202	1	Fall, Unintentional	482
2	Unspecified, Unintentional	8	2	MVT, Unintentional	44	2	MVT, Unintentional	314
3	Firearm, Assault	6	3	Unspecified, Unintentional	26	3	Struck, Unintentional	215
4	Fall, Unintentional	5	4	Poisoning, Self inflicted	19	4	Unspecified, Unintentional	192
5	Firearm, Self inflicted	4	5	Poisoning, Unintentional; Other spec/class, Unintentional	12	5	Overexertion, Unintentional	180
	Other	12		Other	65		Other	590
<b>TOTAL</b>		<b>45</b>	<b>TOTAL</b>		<b>380</b>	<b>TOTAL</b>		<b>1,973</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* CLAY			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* CLAY			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* CLAY		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional; MVT, Unintentional	7	1	Fall, Unintentional	114	1	Fall, Unintentional	184
2	Firearm, Self inflicted; Fall, Unintentional	3	2	Poisoning, Self inflicted	20	2	MVT, Unintentional	108
3	Suffocation, Unintentional; Suffocation, Self inflicted; Fire/ Burn, Unintentional	2	3	Poisoning, Unintentional	19	3	Struck, Unintentional	39
4	Unspecified, Unintentional; Poisoning, Undetermined; Other spec/class, Unintentional; Natural/ Environ, Unintentional; Firearm, Undetermined; Fall, Self inflicted; Drowning, Unintentional; Cut/ Pierce, Self inflicted	1	4	MVT, Unintentional	18	4	Cut/ Pierce, Unintentional	28
5			5	Unspecified, Unintentional	13	5	Unspecified, Unintentional; Overexertion, Unintentional	27
	Other	0		Other	60		Other	146
<b>TOTAL</b>		<b>34</b>	<b>TOTAL</b>		<b>244</b>	<b>TOTAL</b>		<b>559</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* CLEVELAND			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* CLEVELAND			Leading Causes of Injury ED Visits** 2006 to 2007 CLEVELAND		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	81	1	Fall, Unintentional	1,632	1	Fall, Unintentional	5,713
2	Fall, Unintentional	46	2	MVT, Unintentional	474	2	Overexertion, Unintentional	3,074
3	Poisoning, Unintentional	40	3	Poisoning, Self Inflicted	287	3	MVT, Unintentional	3,027
4	Firearm, Self inflicted	37	4	Unspecified, Unintentional	251	4	Struck, Unintentional	2,499
5	Firearm, Assault	29	5	Poisoning, Unintentional	241	5	Cut/ Pierce, Unintentional	1,661
	Other	92		Other	1,049		Other	7,129
<b>TOTAL</b>		<b>325</b>	<b>TOTAL</b>		<b>3,934</b>	<b>TOTAL</b>		<b>23,103</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* COLUMBUS			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* COLUMBUS			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* COLUMBUS		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	87	1	Fall, Unintentional	541	1	Fall, Unintentional	1,590
2	Firearm, Assault	36	2	MVT, Unintentional	293	2	MVT, Unintentional	1,239
3	Poisoning, Unintentional	27	3	Other spec/class, Unintentional	163	3	Struck, Unintentional	774
4	Firearm, Self inflicted	25	4	Unspecified, Unintentional	138	4	Overexertion, Unintentional	613
5	Fall, Unintentional	13	5	Poisoning, Unintentional	94	5	Cut/ Pierce, Unintentional	437
	Other	64		Other	541		Other	1,703
<b>TOTAL</b>		<b>252</b>	<b>TOTAL</b>		<b>1,770</b>	<b>TOTAL</b>		<b>6,356</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* CRAVEN			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* CRAVEN			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* CRAVEN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	70	1	Fall, Unintentional	1,456	1	Fall, Unintentional	3,266
2	Poisoning, Unintentional	44	2	MVT, Unintentional	353	2	Overexertion, Unintentional	2,101
3	Fall, Unintentional	24	3	Unspecified, Unintentional	305	3	MVT, Unintentional	1,868
4	Firearm, Self inflicted	19	4	Poisoning, Self inflicted	251	4	Struck, Unintentional	1,867
5	Firearm, Assault	14	5	Other spec/class, Unintentional	239	5	Unspecified, Unintentional	1,384
	Other	84		Other	945		Other	4,663
<b>TOTAL</b>		<b>255</b>	<b>TOTAL</b>		<b>3,549</b>	<b>TOTAL</b>		<b>15,149</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* CUMBERLAND			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* CUMBERLAND			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* CUMBERLAND		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	255	1	Fall, Unintentional	1,941	1	Fall, Unintentional	5,400
2	Poisoning, Unintentional	91	2	MVT, Unintentional	1,128	2	MVT, Unintentional	4,329
3	Firearm, Assault	70	3	Poisoning, Self inflicted	693	3	Struck, Unintentional	2,573
4	Firearm, Self inflicted	69	4	Unspecified, Unintentional	598	4	Unspecified, Unintentional	2,149
5	Fall, Unintentional	62	5	Other spec/class, Unintentional	478	5	Overexertion, Unintentional	1,844
	Other	194		Other	2,273		Other	7,206
<b>TOTAL</b>		<b>741</b>	<b>TOTAL</b>		<b>7,111</b>	<b>TOTAL</b>		<b>23,501</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* CURRITUCK			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* CURRITUCK			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* CURRITUCK		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	23	1	Fall, Unintentional	108	1	Fall, Unintentional	133
2	Firearm, Self inflicted	11	2	Poisoning, Self inflicted	29	2	MVT, Unintentional	96
3	Unspecified, Unintentional	6	3	MVT, Unintentional	22	3	Overexertion, Unintentional	72
4	Poisoning, Unintentional	5	4	Unspecified, Unintentional	20	4	Struck, Unintentional	53
5	Fall, Unintentional	4	5	Other spec/class, Unintentional	12	5	Cut/ Pierce, Unintentional	40
	Other	17		Other	61		Other	167
<b>TOTAL</b>		<b>66</b>	<b>TOTAL</b>		<b>252</b>	<b>TOTAL</b>		<b>561</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* DARE			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* DARE			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* DARE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	32	1	Fall, Unintentional	254	1	Fall, Unintentional	890
2	Poisoning, Unintentional	21	2	MVT, Unintentional	35	2	Struck, Unintentional	418
3	Fall, Unintentional	12	3	Unspecified, Unintentional	33	3	MVT, Unintentional	393
4	Firearm, Self inflicted	11	4	Poisoning, Self inflicted	21	4	Overexertion, Unintentional	360
5	Drowning, Unintentional	7	5	Poisoning, Unintentional	15	5	Cut/ Pierce, Unintentional	306
	Other	27		Other	102		Other	976
<b>TOTAL</b>		<b>110</b>	<b>TOTAL</b>		<b>460</b>	<b>TOTAL</b>		<b>3,343</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* DAVIDSON			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* DAVIDSON			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* DAVIDSON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	131	1	Fall, Unintentional	1,400	1	Fall, Unintentional	7,008
2	Poisoning, Unintentional	97	2	MVT, Unintentional	553	2	Struck, Unintentional	3,558
3	Firearm, Self inflicted	53	3	Unspecified, Unintentional	285	3	Overexertion, Unintentional	3,351
4	Fall, Unintentional	35	4	Poisoning, Self inflicted	280	4	MVT, Unintentional	2,878
5	Unspecified, Unintentional	30	5	Other spec/class, Unintentional	200	5	Unspecified, Unintentional	2,020
	Other	120		Other	921		Other	8,313
<b>TOTAL</b>		<b>466</b>	<b>TOTAL</b>		<b>3,639</b>	<b>TOTAL</b>		<b>27,128</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* DAVIE			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* DAVIE			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* DAVIE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	32	1	Fall, Unintentional	512	1	Fall, Unintentional	1,068
2	Poisoning, Unintentional	25	2	MVT, Unintentional	150	2	MVT, Unintentional	494
3	Firearm, Self inflicted	20	3	Unspecified, Unintentional	86	3	Struck, Unintentional	396
4	Unspecified, Unintentional	11	4	Poisoning, Self inflicted	72	4	Overexertion, Unintentional	313
5	Suffocation, Self inflicted; Fall, Unintentional	10	5	Other spec/class, Unintentional	51	5	Unspecified, Unintentional	287
	Other	28		Other	286		Other	825
<b>TOTAL</b>		<b>136</b>	<b>TOTAL</b>		<b>1,157</b>	<b>TOTAL</b>		<b>3,383</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* DUPLIN			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* DUPLIN			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* DUPLIN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	55	1	Fall, Unintentional	514	1	Fall, Unintentional	2,179
2	Firearm, Self inflicted	24	2	MVT, Unintentional	199	2	MVT, Unintentional	1,456
3	Poisoning, Unintentional	15	3	Unspecified, Unintentional	135	3	Struck, Unintentional	871
4	Firearm, Assault	14	4	Poisoning, Self inflicted	85	4	Overexertion, Unintentional	826
5	Unspecified, Unintentional; Fall, Unintentional	11	5	Other spec/class, Unintentional	74	5	Cut/ Pierce, Unintentional	581
	Other	45		Other	405		Other	2,655
<b>TOTAL</b>		<b>175</b>	<b>TOTAL</b>		<b>1,412</b>	<b>TOTAL</b>		<b>8,568</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* DURHAM			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* DURHAM			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* DURHAM		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	117	1	Fall, Unintentional	2,108	1	Fall, Unintentional	3,940
2	Firearm, Assault	88	2	MVT, Unintentional	669	2	MVT, Unintentional	3,650
3	Poisoning, Unintentional	68	3	Poisoning, Self inflicted	428	3	Overexertion, Unintentional	3,524
4	Fall, Unintentional	47	4	Poisoning, Unintentional	380	4	Struck, Unintentional	3,333
5	Suffocation, Unintentional	36	5	Unspecified, Unintentional	374	5	Cut/ Pierce, Unintentional	2,323
	Other	173		Other	1,791		Other	5,466
<b>TOTAL</b>		<b>529</b>	<b>TOTAL</b>		<b>5,750</b>	<b>TOTAL</b>		<b>22,236</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* EDGEcombe			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* EDGEcombe			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* EDGEcombe		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	53	1	Fall, Unintentional	513	1	Fall, Unintentional	1,256
2	Fall, Unintentional	20	2	MVT, Unintentional	217	2	MVT, Unintentional	848
3	Firearm, Self inflicted	19	3	Unspecified, Unintentional	104	3	Unspecified, Unintentional	472
4	Firearm, Assault	16	4	Poisoning, Self inflicted	97	4	Struck, Unintentional	466
5	Poisoning, Unintentional	15	5	Poisoning, Unintentional	75	5	Overexertion, Unintentional	424
	Other	55		Other	451		Other	1,777
<b>TOTAL</b>		<b>178</b>	<b>TOTAL</b>		<b>1,457</b>	<b>TOTAL</b>		<b>5,243</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* FORSYTH			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* FORSYTH			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* FORSYTH		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	157	1	Fall, Unintentional	4,153	1	Fall, Unintentional	14,112
2	Poisoning, Unintentional	100	2	MVT, Unintentional	1,167	2	MVT, Unintentional	6,505
3	Firearm, Self inflicted	91	3	Poisoning, Self inflicted	1,017	3	Struck, Unintentional	5,976
4	Fall, Unintentional	75	4	Unspecified, Unintentional	709	4	Overexertion, Unintentional	5,888
5	Unspecified, Unintentional	68	5	Poisoning, Unintentional	417	5	Unspecified, Unintentional	4,595
	Other	270		Other	2,759		Other	15,312
<b>TOTAL</b>		<b>761</b>	<b>TOTAL</b>		<b>10,222</b>	<b>TOTAL</b>		<b>52,388</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* FRANKLIN			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* FRANKLIN			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* FRANKLIN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	59	1	Fall, Unintentional	521	1	Fall, Unintentional	2,315
2	Poisoning, Unintentional; Firearm, Self inflicted	21	2	MVT, Unintentional	221	2	MVT, Unintentional	1,217
3	Unspecified, Unintentional; Suffocation, Self inflicted; Firearm, Assault	8	3	Other spec/class, Unintentional	94	3	Struck, Unintentional	1,128
4	Drowning, Unintentional	6	4	Unspecified, Unintentional	76	4	Overexertion, Unintentional	1,126
5	Fire/ Burn, Unintentional	5	5	Poisoning, Unintentional	73	5	Unspecified, Unintentional	997
	Other	26		Other	390		Other	2,761
<b>TOTAL</b>		<b>162</b>	<b>TOTAL</b>		<b>1,375</b>	<b>TOTAL</b>		<b>9,544</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* GASTON			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* GASTON			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* GASTON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	147	1	Fall, Unintentional	2,649	1	Fall, Unintentional	3,096
2	MVT, Unintentional	144	2	MVT, Unintentional	810	2	MVT, Unintentional	1,875
3	Firearm, Self inflicted	72	3	Poisoning, Self inflicted	638	3	Overexertion, Unintentional	1,679
4	Fall, Unintentional	43	4	Unspecified, Unintentional	634	4	Struck, Unintentional	1,459
5	Unspecified, Unintentional; Suffocation, Unintentional	28	5	Poisoning, Unintentional	421	5	Unspecified, Unintentional	1,076
	Other	141		Other	1,829		Other	4,430
<b>TOTAL</b>		<b>603</b>	<b>TOTAL</b>		<b>6,981</b>	<b>TOTAL</b>		<b>13,615</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* GATES			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* GATES			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* GATES		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	7	1	Fall, Unintentional	61	1	Fall, Unintentional	116
2	Firearm, Self inflicted	4	2	MVT, Unintentional	20	2	MVT, Unintentional	87
3	Firearm, Assault	3	3	Unspecified, Unintentional	16	3	Struck, Unintentional	53
4	Unspecified, Unintentional	2	4	Poisoning, Self inflicted	9	4	Overexertion, Unintentional	39
5	Suffocation, Self inflicted; Pedestrian, other, Unintentional; Natural/ Environ, Unintentional; Machinery, Unintentional; Fall, Unintentional; Drowning, Unintentional; Drowning, Self inflicted	1	5	Other spec/class, Unintentional	6	5	Natural/ Environ, Unintentional	36
	Other	0		Other	26		Other	138
<b>TOTAL</b>		<b>23</b>	<b>TOTAL</b>		<b>138</b>	<b>TOTAL</b>		<b>469</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* GRAHAM			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* GRAHAM			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* GRAHAM		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Firearm, Assault	6	1	Fall, Unintentional	105	1	Fall, Unintentional	186
2	Poisoning, Unintentional; MVT, Unintentional	4	2	MVT, Unintentional	24	2	MVT, Unintentional	102
3	Firearm, Self inflicted	3	3	Unspecified, Unintentional; Poisoning, Unintentional	21	3	Struck, Unintentional	76
4	Suffocation, Self inflicted; Fire/ Burn, Unintentional; Fall, Unintentional	2	4	Poisoning, Self inflicted	12	4	Other spec/not class, Unintentional	50
5	Unspecified, Assault; Transport, other, Unintentional; Suffocation, Unintentional; Struck, Unintentional; Poisoning, Self inflicted	1	5	Struck, Unintentional; Other spec/class, Unintentional	7	5	Cut/ Pierce, Unintentional	49
	Other	0		Other	32		Other	240
<b>TOTAL</b>		<b>28</b>	<b>TOTAL</b>		<b>229</b>	<b>TOTAL</b>		<b>703</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* GRANVILLE			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* GRANVILLE			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* GRANVILLE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	53	1	Fall, Unintentional	521	1	Fall, Unintentional	1,849
2	Firearm, Self inflicted	13	2	MVT, Unintentional	188	2	Overexertion, Unintentional	1,117
3	Firearm, Assault; Fall, Unintentional	9	3	Poisoning, Self inflicted	108	3	MVT, Unintentional	972
4	Poisoning, Unintentional	8	4	Unspecified, Unintentional	95	4	Struck, Unintentional	917
5	Suffocation, Unintentional	7	5	Other spec/class, Unintentional	83	5	Cut/ Pierce, Unintentional	649
	Other	33		Other	339		Other	2,195
<b>TOTAL</b>		<b>132</b>	<b>TOTAL</b>		<b>1,334</b>	<b>TOTAL</b>		<b>7,699</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* GREENE			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* GREENE			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* GREENE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	19	1	Fall, Unintentional	157	1	Fall, Unintentional	522
2	Firearm, Self inflicted; Firearm, Assault	7	2	MVT, Unintentional	83	2	MVT, Unintentional	402
3	Fall, Unintentional	4	3	Unspecified, Unintentional	40	3	Struck, Unintentional	267
4	Suffocation, Unintentional; Poisoning, Unintentional	3	4	Poisoning, Self inflicted	30	4	Overexertion, Unintentional	253
5	Machinery, Unintentional	2	5	Other spec/class, Unintentional	28	5	Unspecified, Unintentional	156
	Other	6		Other	141		Other	777
<b>TOTAL</b>		<b>51</b>	<b>TOTAL</b>		<b>479</b>	<b>TOTAL</b>		<b>2,377</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* GUILFORD			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* GUILFORD			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* GUILFORD		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	251	1	Fall, Unintentional	5,506	1	Fall, Unintentional	11,687
2	MVT, Unintentional	245	2	MVT, Unintentional	1,798	2	MVT, Unintentional	7,306
3	Poisoning, Unintentional	152	3	Poisoning, Self inflicted	1,164	3	Struck, Unintentional	4,501
4	Firearm, Self inflicted	107	4	Unspecified, Unintentional	915	4	Unspecified, Unintentional	3,973
5	Firearm, Assault	96	5	Poisoning, Unintentional	657	5	Overexertion, Unintentional	3,149
	Other	286		Other	3,304		Other	13,980
<b>TOTAL</b>		<b>1,137</b>	<b>TOTAL</b>		<b>13,344</b>	<b>TOTAL</b>		<b>44,596</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* HALIFAX			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* HALIFAX			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* HALIFAX		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	63	1	Fall, Unintentional	719	1	Fall, Unintentional	3,019
2	Firearm, Assault	17	2	MVT, Unintentional	248	2	MVT, Unintentional	1,709
3	Firearm, Self inflicted	15	3	Poisoning, Self inflicted	168	3	Unspecified, Unintentional	1,277
4	Unspecified, Unintentional	14	4	Unspecified, Unintentional	118	4	Struck, Unintentional	1,044
5	Fall, Unintentional	13	5	Other spec/class, Unintentional	102	5	Overexertion, Unintentional	770
	Other	55		Other	568		Other	3,920
<b>TOTAL</b>		<b>177</b>	<b>TOTAL</b>		<b>1,923</b>	<b>TOTAL</b>		<b>11,739</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* HARNETT			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* HARNETT			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* HARNETT		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	102	1	Fall, Unintentional	1,048	1	Fall, Unintentional	3,898
2	Poisoning, Unintentional	35	2	MVT, Unintentional	385	2	MVT, Unintentional	2,464
3	Firearm, Self inflicted	22	3	Unspecified, Unintentional	214	3	Struck, Unintentional	1,818
4	Fall, Unintentional	17	4	Poisoning, Self inflicted	210	4	Overexertion, Unintentional	1,372
5	Suffocation, Unintentional	16	5	Other spec/class, Unintentional	195	5	Unspecified, Unintentional	1,262
	Other	71		Other	944		Other	5,339
<b>TOTAL</b>		<b>263</b>	<b>TOTAL</b>		<b>2,996</b>	<b>TOTAL</b>		<b>16,153</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* HAYWOOD			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* HAYWOOD			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* HAYWOOD		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	52	1	Fall, Unintentional	1,083	1	Fall, Unintentional	3,691
2	Poisoning, Unintentional	30	2	MVT, Unintentional	211	2	Unspecified, Unintentional	1,426
3	Fall, Unintentional	28	3	Unspecified, Unintentional	188	3	Struck, Unintentional	1,375
4	Firearm, Self inflicted	26	4	Poisoning, Self inflicted	137	4	MVT, Unintentional	1,225
5	Suffocation, Unintentional	11	5	Other spec/class, Unintentional	111	5	Overexertion, Unintentional	1,060
	Other	53		Other	558		Other	3,884
<b>TOTAL</b>		<b>200</b>	<b>TOTAL</b>		<b>2,288</b>	<b>TOTAL</b>		<b>12,661</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* HENDERSON			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* HENDERSON			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* HENDERSON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Fall, Unintentional	78	1	Fall, Unintentional	1,664	1	Fall, Unintentional	859
2	MVT, Unintentional	68	2	MVT, Unintentional	361	2	MVT, Unintentional	544
3	Poisoning, Unintentional	56	3	Poisoning, Self inflicted	296	3	Struck, Unintentional	228
4	Firearm, Self inflicted	30	4	Unspecified, Unintentional	170	4	Overexertion, Unintentional	199
5	Unspecified, Unintentional	18	5	Poisoning, Unintentional	154	5	Unspecified, Unintentional	191
	Other	77		Other	704		Other	957
<b>TOTAL</b>		<b>327</b>	<b>TOTAL</b>		<b>3,349</b>	<b>TOTAL</b>		<b>2,978</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* HERTFORD			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* HERTFORD			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* HERTFORD		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	35	1	Fall, Unintentional	209	1	Fall, Unintentional	863
2	Poisoning, Unintentional; Fall, Unintentional	8	2	MVT, Unintentional	93	2	MVT, Unintentional	820
3	Firearm, Self inflicted	7	3	Unspecified, Unintentional	56	3	Struck, Unintentional	352
4	Firearm, Assault	4	4	Poisoning, Self inflicted	31	4	Overexertion, Unintentional	277
5	Unspecified, Unintentional; Poisoning, Self inflicted	3	5	Other spec/class, Unintentional	25	5	Cut/ Pierce, Unintentional	218
	Other	8		Other	128		Other	1,091
<b>TOTAL</b>		<b>76</b>	<b>TOTAL</b>		<b>542</b>	<b>TOTAL</b>		<b>3,621</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* HOKE			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* HOKE			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* HOKE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	56	1	Fall, Unintentional	232	1	Fall, Unintentional	921
2	Poisoning, Unintentional	12	2	MVT, Unintentional	142	2	MVT, Unintentional	674
3	Firearm, Assault	11	3	Poisoning, Self inflicted	56	3	Struck, Unintentional	407
4	Firearm, Self inflicted; Fall, Unintentional	6	4	Other spec/class, Unintentional	50	4	Overexertion, Unintentional	317
5	Poisoning, Self inflicted	5	5	Unspecified, Unintentional	44	5	Unspecified, Unintentional	274
	Other	19		Other	208		Other	1,216
<b>TOTAL</b>		<b>115</b>	<b>TOTAL</b>		<b>732</b>	<b>TOTAL</b>		<b>3,809</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* HYDE			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* HYDE			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* HYDE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional; Firearm, Self inflicted	3	1	Fall, Unintentional	86	1	Fall, Unintentional	110
2	Fall, Unintentional	2	2	MVT, Unintentional	13	2	MVT, Unintentional	59
3	Transport, other, Unintentional; MVT, Unintentional; Fire/ Burn, Unintentional; Cut/ Pierce, Assault	1	3	Poisoning, Self inflicted	12	3	Struck, Unintentional	53
4			4	Unspecified, Unintentional; Poisoning, Unintentional; Other spec/class, Unintentional	4	4	Unspecified, Unintentional	48
5			5	Transport, other, Unintentional; Other spec/not class, Unintentional	3	5	Overexertion, Unintentional	43
	Other	0		Other	14		Other	131
<b>TOTAL</b>		<b>12</b>	<b>TOTAL</b>		<b>143</b>	<b>TOTAL</b>		<b>444</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* IREDELL			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* IREDELL			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* IREDELL		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	110	1	Fall, Unintentional	2,212	1	Fall, Unintentional	8,744
2	Poisoning, Unintentional	69	2	MVT, Unintentional	566	2	Struck, Unintentional	4,325
3	Firearm, Self inflicted	43	3	Unspecified, Unintentional	416	3	MVT, Unintentional	4,185
4	Unspecified, Unintentional	34	4	Poisoning, Self inflicted	410	4	Overexertion, Unintentional	3,871
5	Firearm, Assault	23	5	Poisoning, Unintentional	331	5	Unspecified, Unintentional	2,150
	Other	125		Other	1,444		Other	9,213
<b>TOTAL</b>		<b>404</b>	<b>TOTAL</b>		<b>5,379</b>	<b>TOTAL</b>		<b>32,488</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* JACKSON			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* JACKSON			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* JACKSON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	29	1	Fall, Unintentional	442	1	Fall, Unintentional	1,168
2	Poisoning, Unintentional	16	2	MVT, Unintentional	82	2	Struck, Unintentional	504
3	Unspecified, Unintentional; Poisoning, Self inflicted; Firearm, Self inflicted	10	3	Unspecified, Unintentional	65	3	MVT, Unintentional	444
4	Fall, Unintentional	9	4	Poisoning, Unintentional	56	4	Cut/ Pierce, Unintentional	422
5	Suffocation, Self inflicted	6	5	Poisoning, Self inflicted	50	5	Overexertion, Unintentional	364
	Other	19		Other	244		Other	1,224
<b>TOTAL</b>		<b>109</b>	<b>TOTAL</b>		<b>939</b>	<b>TOTAL</b>		<b>4,126</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* JOHNSTON			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* JOHNSTON			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* JOHNSTON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	144	1	Fall, Unintentional	1,567	1	Fall, Unintentional	6,787
2	Fall, Unintentional	42	2	Unspecified, Unintentional	658	2	MVT, Unintentional	3,855
3	Firearm, Self inflicted	35	3	MVT, Unintentional	587	3	Unspecified, Unintentional	3,363
4	Poisoning, Unintentional	34	4	Poisoning, Self inflicted	338	4	Overexertion, Unintentional	3,199
5	Firearm, Assault	24	5	Other spec/class, Unintentional	266	5	Struck, Unintentional	3,077
	Other	95		Other	1,247		Other	8,504
<b>TOTAL</b>		<b>374</b>	<b>TOTAL</b>		<b>4,663</b>	<b>TOTAL</b>		<b>28,785</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* JONES			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* JONES			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* JONES		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	13	1	Fall, Unintentional	150	1	Fall, Unintentional	300
2	Unspecified, Unintentional	4	2	MVT, Unintentional	72	2	MVT, Unintentional	221
3	Other spec/class, Unintentional; Firearm, Self inflicted; Firearm, Assault; Fall, Unintentional	2	3	Other spec/class, Unintentional	34	3	Overexertion, Unintentional	167
4	Suffocation, Self inflicted; Poisoning, Unintentional; Machinery, Unintentional; Firearm, Unintentional	1	4	Unspecified, Unintentional	28	4	Struck, Unintentional	153
5			5	Poisoning, Unintentional	18	5	Unspecified, Unintentional	128
	Other	0		Other	95		Other	448
<b>TOTAL</b>		<b>29</b>	<b>TOTAL</b>		<b>397</b>	<b>TOTAL</b>		<b>1,417</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* LEE			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* LEE			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* LEE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	69	1	Fall, Unintentional	521	1	Fall, Unintentional	2,879
2	Poisoning, Unintentional	21	2	MVT, Unintentional	266	2	MVT, Unintentional	1,884
3	Firearm, Assault	20	3	Poisoning, Self inflicted	118	3	Struck, Unintentional	1,290
4	Firearm, Self inflicted	14	4	Unspecified, Unintentional	116	4	Unspecified, Unintentional	998
5	Fall, Unintentional	12	5	Other spec/class, Unintentional	109	5	Overexertion, Unintentional	889
	Other	44		Other	551		Other	3,606
<b>TOTAL</b>		<b>180</b>	<b>TOTAL</b>		<b>1,681</b>	<b>TOTAL</b>		<b>11,546</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* LENOIR			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* LENOIR			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* LENOIR		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	50	1	Fall, Unintentional	900	1	Fall, Unintentional	3,274
2	Fall, Unintentional	22	2	Unspecified, Unintentional	303	2	Overexertion, Unintentional	1,897
3	Firearm, Assault	15	3	MVT, Unintentional	271	3	MVT, Unintentional	1,869
4	Firearm, Self inflicted	14	4	Poisoning, Self inflicted	143	4	Struck, Unintentional	1,593
5	Suffocation, Unintentional	11	5	Other spec/class, Unintentional	103	5	Unspecified, Unintentional	1,017
	Other	50		Other	635		Other	4,102
<b>TOTAL</b>		<b>162</b>	<b>TOTAL</b>		<b>2,355</b>	<b>TOTAL</b>		<b>13,752</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* LINCOLN			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* LINCOLN			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* LINCOLN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	76	1	Fall, Unintentional	852	1	Fall, Unintentional	3,963
2	Poisoning, Unintentional	34	2	MVT, Unintentional	322	2	Struck, Unintentional	1,961
3	Firearm, Self inflicted	29	3	Poisoning, Self inflicted	216	3	MVT, Unintentional	1,932
4	Poisoning, Self inflicted	12	4	Unspecified, Unintentional	156	4	Overexertion, Unintentional	1,843
5	Unspecified, Unintentional; Firearm, Assault	11	5	Other spec/class, Unintentional	141	5	Cut/ Pierce, Unintentional	1,176
	Other	40		Other	533		Other	4,052
<b>TOTAL</b>		<b>213</b>	<b>TOTAL</b>		<b>2,220</b>	<b>TOTAL</b>		<b>14,927</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* McDOWELL			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* McDOWELL			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* McDOWELL		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	31	1	Fall, Unintentional	639	1	Fall, Unintentional	1,289
2	MVT, Unintentional	26	2	MVT, Unintentional	138	2	MVT, Unintentional	830
3	Firearm, Self inflicted; Fall, Unintentional	14	3	Poisoning, Self inflicted	134	3	Struck, Unintentional	324
4	Poisoning, Self inflicted	7	4	Poisoning, Unintentional	99	4	Overexertion, Unintentional	245
5	Unspecified, Unintentional	5	5	Unspecified, Unintentional	90	5	Struck, Assault	244
	Other	26		Other	308		Other	1,219
<b>TOTAL</b>		<b>123</b>	<b>TOTAL</b>		<b>1,408</b>	<b>TOTAL</b>		<b>4,151</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* MACON			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* MACON			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* MACON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	29	1	Fall, Unintentional	478	1	Fall, Unintentional	1,798
2	Fall, Unintentional	21	2	MVT, Unintentional	97	2	Struck, Unintentional	678
3	MVT, Unintentional	20	3	Unspecified, Unintentional	50	3	Cut/ Pierce, Unintentional	544
4	Firearm, Self inflicted	17	4	Poisoning, Unintentional	33	4	Overexertion, Unintentional	541
5	Unspecified, Unintentional	12	5	Poisoning, Self inflicted; Natural/ Environ, Unintentional	27	5	MVT, Unintentional	463
	Other	40		Other	134		Other	1,676
<b>TOTAL</b>		<b>139</b>	<b>TOTAL</b>		<b>846</b>	<b>TOTAL</b>		<b>5,700</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* MADISON			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* MADISON			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* MADISON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	18	1	Fall, Unintentional	259	1	Fall, Unintentional	243
2	Fall, Unintentional	10	2	MVT, Unintentional	61	2	MVT, Unintentional	199
3	Firearm, Self inflicted	9	3	Unspecified, Unintentional	41	3	Struck, Unintentional	63
4	Poisoning, Unintentional	8	4	Other spec/class, Unintentional	37	4	Unspecified, Unintentional	53
5	Suffocation, Unintentional	5	5	Poisoning, Self inflicted; Other spec/not class, Unintentional	14	5	Overexertion, Unintentional	40
	Other	21		Other	99		Other	303
<b>TOTAL</b>		<b>71</b>	<b>TOTAL</b>		<b>525</b>	<b>TOTAL</b>		<b>901</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* MARTIN			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* MARTIN			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* MARTIN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	25	1	Fall, Unintentional	278	1	Fall, Unintentional	412
2	Fall, Unintentional	10	2	Unspecified, Unintentional	180	2	MVT, Unintentional	300
3	Firearm, Assault	8	3	MVT, Unintentional	102	3	Unspecified, Unintentional	198
4	Firearm, Self inflicted	6	4	Poisoning, Self inflicted	49	4	Struck, Unintentional	175
5	Unspecified, Unintentional; Poisoning, Unintentional	5	5	Other spec/class, Unintentional	33	5	Overexertion, Unintentional	122
	Other	16		Other	188		Other	546
<b>TOTAL</b>		<b>75</b>	<b>TOTAL</b>		<b>830</b>	<b>TOTAL</b>		<b>1,753</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* MECKLENBURG			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* MECKLENBURG			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* MECKLENBURG		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	361	1	Fall, Unintentional	7,094	1	Fall, Unintentional	30,601
2	Firearm, Assault	244	2	MVT, Unintentional	2,126	2	MVT, Unintentional	19,796
3	Poisoning, Unintentional	199	3	Unspecified, Unintentional	1,551	3	Struck, Unintentional	14,132
4	Firearm, Self inflicted	143	4	Poisoning, Self inflicted	1,267	4	Unspecified, Unintentional	12,122
5	Fall, Unintentional	128	5	Other spec/class, Unintentional	1,189	5	Overexertion, Unintentional	10,864
	Other	456		Other	5,323		Other	37,872
<b>TOTAL</b>		<b>1,531</b>	<b>TOTAL</b>		<b>18,550</b>	<b>TOTAL</b>		<b>125,387</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* MITCHELL			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* MITCHELL			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* MITCHELL		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	18	1	Fall, Unintentional	336	1	Fall, Unintentional	257
2	Poisoning, Unintentional	16	2	Poisoning, Unintentional; MVT, Unintentional	58	2	MVT, Unintentional	155
3	Firearm, Self inflicted	9	3	Other spec/class, Unintentional	38	3	Struck, Unintentional	42
4	Fall, Unintentional	5	4	Poisoning, Self inflicted	35	4	Other spec/class, Unintentional	35
5	Suffocation, Unintentional	3	5	Unspecified, Unintentional	22	5	Overexertion, Unintentional	34
	Other	13		Other	88		Other	228
<b>TOTAL</b>		<b>64</b>	<b>TOTAL</b>		<b>635</b>	<b>TOTAL</b>		<b>751</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* MONTGOMERY			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* MONTGOMERY			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* MONTGOMERY		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	36	1	Fall, Unintentional	332	1	Fall, Unintentional	1,546
2	Firearm, Self inflicted	14	2	MVT, Unintentional	102	2	Struck, Unintentional	764
3	Poisoning, Unintentional	13	3	Poisoning, Self inflicted	62	3	Overexertion, Unintentional	756
4	Fall, Unintentional	7	4	Unspecified, Unintentional	42	4	MVT, Unintentional	616
5	Unspecified, Unintentional	4	5	Other spec/class, Unintentional	41	5	Cut/ Pierce, Unintentional	539
	Other	20		Other	231		Other	2,013
<b>TOTAL</b>		<b>94</b>	<b>TOTAL</b>		<b>810</b>	<b>TOTAL</b>		<b>6,234</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* MOORE			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* MOORE			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* MOORE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	78	1	Fall, Unintentional	1,439	1	Fall, Unintentional	4,984
2	Poisoning, Unintentional	29	2	MVT, Unintentional	357	2	MVT, Unintentional	2,088
3	Firearm, Self inflicted	26	3	Poisoning, Self inflicted	167	3	Struck, Unintentional	1,829
4	Unspecified, Unintentional	22	4	Unspecified, Unintentional	101	4	Overexertion, Unintentional	1,688
5	Fall, Unintentional	20	5	Poisoning, Unintentional	96	5	Cut/ Pierce, Unintentional	1,335
	Other	90		Other	644		Other	4,682
<b>TOTAL</b>		<b>265</b>	<b>TOTAL</b>		<b>2,804</b>	<b>TOTAL</b>		<b>16,606</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* NASH			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* NASH			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* NASH		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	85	1	Fall, Unintentional	1,094	1	Fall, Unintentional	647
2	Firearm, Self inflicted	35	2	MVT, Unintentional	332	2	MVT, Unintentional	518
3	Poisoning, Unintentional	34	3	Unspecified, Unintentional	168	3	Overexertion, Unintentional	322
4	Firearm, Assault	28	4	Poisoning, Self inflicted	143	4	Struck, Unintentional	290
5	Fall, Unintentional	26	5	Poisoning, Unintentional	119	5	Unspecified, Unintentional	250
	Other	72		Other	699		Other	946
<b>TOTAL</b>		<b>280</b>	<b>TOTAL</b>		<b>2,555</b>	<b>TOTAL</b>		<b>2,973</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* NEW HANOVER			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* NEW HANOVER			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* NEW HANOVER		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	100	1	Fall, Unintentional	1,869	1	Fall, Unintentional	8,106
2	MVT, Unintentional	96	2	MVT, Unintentional	515	2	MVT, Unintentional	4,951
3	Firearm, Self inflicted	48	3	Poisoning, Self inflicted	398	3	Overexertion, Unintentional	2,824
4	Fall, Unintentional	36	4	Other spec/class, Unintentional	378	4	Struck, Unintentional	2,802
5	Firearm, Assault	35	5	Unspecified, Unintentional	355	5	Unspecified, Unintentional	2,748
	Other	133		Other	1,314		Other	8,909
<b>TOTAL</b>		<b>448</b>	<b>TOTAL</b>		<b>4,829</b>	<b>TOTAL</b>		<b>30,340</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* NORTHAMPTON			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* NORTHAMPTON			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* NORTHAMPTON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	20	1	Fall, Unintentional	242	1	Fall, Unintentional	1,091
2	Firearm, Assault	6	2	MVT, Unintentional	97	2	MVT, Unintentional	658
3	Suffocation, Unintentional; Firearm, Self inflicted	4	3	Unspecified, Unintentional	39	3	Struck, Unintentional	358
4	Poisoning, Unintentional	3	4	Other spec/class, Unintentional	32	4	Unspecified, Unintentional	354
5	Poisoning, Self inflicted; Fall, Unintentional	2	5	Poisoning, Self inflicted	26	5	Overexertion, Unintentional	234
	Other	11		Other	170		Other	1,292
<b>TOTAL</b>		<b>52</b>	<b>TOTAL</b>		<b>606</b>	<b>TOTAL</b>		<b>3,987</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* ONSLOW			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* ONSLOW			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* ONSLOW		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	131	1	Fall, Unintentional	1,076	1	Fall, Unintentional	5,142
2	Poisoning, Unintentional	53	2	MVT, Unintentional	520	2	MVT, Unintentional	2,962
3	Firearm, Self inflicted	39	3	Unspecified, Unintentional	195	3	Struck, Unintentional	2,095
4	Fall, Unintentional	26	4	Poisoning, Unintentional	162	4	Overexertion, Unintentional	1,716
5	Suffocation, Self inflicted	22	5	Other spec/class, Unintentional	156	5	Unspecified, Unintentional	1,692
	Other	94		Other	887		Other	7,285
<b>TOTAL</b>		<b>365</b>	<b>TOTAL</b>		<b>2,996</b>	<b>TOTAL</b>		<b>20,892</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* ORANGE			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* ORANGE			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* ORANGE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	55	1	Fall, Unintentional	1,190	1	Fall, Unintentional	3,052
2	Poisoning, Unintentional	31	2	MVT, Unintentional	374	2	Struck, Unintentional	1,425
3	Fall, Unintentional	25	3	Poisoning, Self inflicted	295	3	MVT, Unintentional	1,321
4	Firearm, Self inflicted	20	4	Poisoning, Unintentional	238	4	Overexertion, Unintentional	1,267
5	Poisoning, Self inflicted	17	5	Unspecified, Unintentional	183	5	Cut/ Pierce, Unintentional	1,052
	Other	71		Other	916		Other	3,492
<b>TOTAL</b>		<b>219</b>	<b>TOTAL</b>		<b>3,196</b>	<b>TOTAL</b>		<b>11,609</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* PAMLICO			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* PAMLICO			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* PAMLICO		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	17	1	Fall, Unintentional	178	1	Fall, Unintentional	305
2	Firearm, Self inflicted	5	2	MVT, Unintentional	48	2	MVT, Unintentional	190
3	Poisoning, Unintentional	4	3	Unspecified, Unintentional	40	3	Overexertion, Unintentional	162
4	Suffocation, Unintentional	3	4	Other spec/class, Unintentional	38	4	Struck, Unintentional	144
5	Unspecified, Unintentional; Suffocation, Self inflicted; Poisoning, Self inflicted; Fall, Unintentional; Drowning, Unintentional	2	5	Poisoning, Unintentional; Poisoning, Self inflicted	27	5	Unspecified, Unintentional	97
	Other	4		Other	105		Other	427
<b>TOTAL</b>		<b>43</b>	<b>TOTAL</b>		<b>463</b>	<b>TOTAL</b>		<b>1,325</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* PASQUOTANK			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* PASQUOTANK			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* PASQUOTANK		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	19	1	Fall, Unintentional	477	1	MVT, Unintentional	266
2	Poisoning, Unintentional	15	2	Unspecified, Unintentional	85	2	Fall, Unintentional	147
3	Firearm, Self inflicted	11	3	MVT, Unintentional	76	3	Struck, Unintentional	70
4	Firearm, Assault	9	4	Poisoning, Self inflicted	66	4	Unspecified, Unintentional	62
5	Unspecified, Unintentional	6	5	Poisoning, Unintentional	33	5	Overexertion, Unintentional	58
	Other	24		Other	207		Other	204
<b>TOTAL</b>		<b>84</b>	<b>TOTAL</b>		<b>944</b>	<b>TOTAL</b>		<b>807</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* PENDER			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* PENDER			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* PENDER		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	45	1	Fall, Unintentional	391	1	Fall, Unintentional	1,357
2	Firearm, Self inflicted	22	2	MVT, Unintentional	179	2	MVT, Unintentional	1,113
3	Poisoning, Unintentional	11	3	Other spec/class, Unintentional	102	3	Unspecified, Unintentional	441
4	Fall, Unintentional	8	4	Unspecified, Unintentional	80	4	Overexertion, Unintentional	397
5	Firearm, Assault	7	5	Poisoning, Self inflicted	54	5	Struck, Unintentional	388
	Other	38		Other	331		Other	1,319
<b>TOTAL</b>		<b>131</b>	<b>TOTAL</b>		<b>1,137</b>	<b>TOTAL</b>		<b>5,015</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* PERQUIMANS			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* PERQUIMANS			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* PERQUIMANS		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	13	1	Fall, Unintentional	152	1	Fall, Unintentional	149
2	Fall, Unintentional	5	2	Unspecified, Unintentional	38	2	MVT, Unintentional	112
3	Suffocation, Unintentional	3	3	MVT, Unintentional	37	3	Struck, Unintentional	51
4	Poisoning, Unintentional; Firearm, Self inflicted; Firearm, Assault	2	4	Natural/ Environ, Unintentional	18	4	Unspecified, Unintentional	50
5	Unspecified, Unintentional; Unspecified, Assault; Suffocation, Self inflicted; Struck, Unintentional; Poisoning, Undetermined; Other spec/class, Unintent Cut/ Pierce, Assault	1	5	Poisoning, Self inflicted	14	5	Overexertion, Unintentional	46
	Other	0		Other	72		Other	192
<b>TOTAL</b>		<b>35</b>	<b>TOTAL</b>		<b>331</b>	<b>TOTAL</b>		<b>600</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* PERSON			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* PERSON			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* PERSON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	41	1	Fall, Unintentional	533	1	Fall, Unintentional	1,854
2	Poisoning, Unintentional	18	2	MVT, Unintentional	165	2	Overexertion, Unintentional	1,065
3	Fall, Unintentional	11	3	Unspecified, Unintentional	114	3	Struck, Unintentional	1,035
4	Firearm, Self inflicted	10	4	Other spec/class, Unintentional	68	4	MVT, Unintentional	1,013
5	Suffocation, Unintentional; Firearm, Assault Other	6 32	5	Poisoning, Self inflicted	58	5	Cut/ Pierce, Unintentional	791
<b>TOTAL</b>		<b>124</b>	<b>TOTAL</b>		<b>1,306</b>	<b>TOTAL</b>		<b>8,091</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* PITT			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* PITT			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* PITT		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	110	1	Fall, Unintentional	1,122	1	Fall, Unintentional	3,407
2	Fall, Unintentional	49	2	MVT, Unintentional	493	2	MVT, Unintentional	2,415
3	Poisoning, Unintentional	40	3	Poisoning, Self inflicted	319	3	Struck, Unintentional	1,546
4	Firearm, Assault	33	4	Poisoning, Unintentional	147	4	Cut/ Pierce, Unintentional	1,142
5	Firearm, Self inflicted Other	25 78	5	Unspecified, Unintentional Other	142 923	5	Overexertion, Unintentional Other	1,128 4,602
<b>TOTAL</b>		<b>335</b>	<b>TOTAL</b>		<b>3,146</b>	<b>TOTAL</b>		<b>14,240</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* POLK			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* POLK			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* POLK		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional; Firearm, Self inflicted	11	1	Fall, Unintentional	370	1	Fall, Unintentional	486
2	Poisoning, Unintentional	9	2	Poisoning, Self inflicted	43	2	MVT, Unintentional	214
3	Fall, Unintentional	8	3	Unspecified, Unintentional; MVT, Unintentional	39	3	Struck, Unintentional	73
4	Poisoning, Self inflicted	6	4	Poisoning, Unintentional	30	4	Overexertion, Unintentional	63
5	Unspecified, Unintentional; Firearm, Assault	5	5	Natural/ Environ, Unintentional	26	5	Other spec/class, Unintentional	54
	Other	22		Other	121		Other	331
<b>TOTAL</b>		<b>77</b>	<b>TOTAL</b>		<b>668</b>	<b>TOTAL</b>		<b>1,221</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* RANDOLPH			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* RANDOLPH			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* RANDOLPH		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	116	1	Fall, Unintentional	1,627	1	Fall, Unintentional	7,010
2	Firearm, Self inflicted	60	2	MVT, Unintentional	563	2	MVT, Unintentional	3,072
3	Fall, Unintentional	56	3	Poisoning, Self inflicted	260	3	Struck, Unintentional	2,590
4	Poisoning, Unintentional	49	4	Unspecified, Unintentional	256	4	Overexertion, Unintentional	2,016
5	Firearm, Assault	24	5	Poisoning, Unintentional	169	5	Unspecified, Unintentional	1,646
	Other	113		Other	949		Other	7,584
<b>TOTAL</b>		<b>418</b>	<b>TOTAL</b>		<b>3,824</b>	<b>TOTAL</b>		<b>23,918</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* RICHMOND			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* RICHMOND			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* RICHMOND		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	34	1	Fall, Unintentional	771	1	Fall, Unintentional	3,169
2	Poisoning, Unintentional	26	2	MVT, Unintentional	252	2	MVT, Unintentional	1,840
3	Firearm, Self inflicted	16	3	Poisoning, Self inflicted	158	3	Struck, Unintentional	1,502
4	Firearm, Assault	14	4	Unspecified, Unintentional	137	4	Overexertion, Unintentional	1,334
5	Fall, Unintentional	10	5	Poisoning, Unintentional	113	5	Unspecified, Unintentional	1,008
	Other	40		Other	628		Other	4,387
<b>TOTAL</b>		<b>140</b>	<b>TOTAL</b>		<b>2,059</b>	<b>TOTAL</b>		<b>13,240</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* ROBESON			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* ROBESON			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* ROBESON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	219	1	Fall, Unintentional	1,092	1	Fall, Unintentional	5,595
2	Firearm, Assault	102	2	MVT, Unintentional	725	2	MVT, Unintentional	5,038
3	Firearm, Self inflicted	38	3	Unspecified, Unintentional	636	3	Unspecified, Unintentional	2,924
4	Poisoning, Unintentional	30	4	Poisoning, Self inflicted	376	4	Struck, Unintentional	2,229
5	Fall, Unintentional; Cut/ Pierce, Assault	12	5	Poisoning, Unintentional	330	5	Overexertion, Unintentional	2,078
	Other	98		Other	1,714		Other	7,996
<b>TOTAL</b>		<b>511</b>	<b>TOTAL</b>		<b>4,873</b>	<b>TOTAL</b>		<b>25,860</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* ROCKINGHAM			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* ROCKINGHAM			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* ROCKINGHAM		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	99	1	Fall, Unintentional	1,860	1	Fall, Unintentional	4,881
2	Poisoning, Unintentional	56	2	MVT, Unintentional	472	2	MVT, Unintentional	1,855
3	Firearm, Self inflicted	32	3	Poisoning, Self inflicted	380	3	Struck, Unintentional	1,768
4	Unspecified, Unintentional; Fall, Unintentional	26	4	Poisoning, Unintentional	257	4	Unspecified, Unintentional	1,537
5	Firearm, Assault	20	5	Other spec/class, Unintentional	223	5	Overexertion, Unintentional	1,533
	Other	77		Other	1,021		Other	5,716
<b>TOTAL</b>		<b>336</b>	<b>TOTAL</b>		<b>4,213</b>	<b>TOTAL</b>		<b>17,290</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* ROWAN			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* ROWAN			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* ROWAN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	107	1	Fall, Unintentional	1,529	1	Fall, Unintentional	3,154
2	Poisoning, Unintentional	81	2	MVT, Unintentional	523	2	MVT, Unintentional	1,968
3	Firearm, Self inflicted	58	3	Unspecified, Unintentional	477	3	Struck, Unintentional	1,284
4	Fall, Unintentional	52	4	Poisoning, Self inflicted	279	4	Overexertion, Unintentional	1,190
5	Firearm, Assault	19	5	Other spec/class, Unintentional	269	5	Unspecified, Unintentional	1,098
	Other	111		Other	948		Other	3,534
<b>TOTAL</b>		<b>428</b>	<b>TOTAL</b>		<b>4,025</b>	<b>TOTAL</b>		<b>12,228</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* RUTHERFORD			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* RUTHERFORD			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* RUTHERFORD		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	59	1	Fall, Unintentional	1,034	1	Fall, Unintentional	3,996
2	Poisoning, Unintentional	51	2	Poisoning, Unintentional	214	2	MVT, Unintentional	1,523
3	Firearm, Self inflicted	27	3	MVT, Unintentional	210	3	Overexertion, Unintentional	1,394
4	Unspecified, Unintentional	16	4	Poisoning, Self inflicted	173	4	Struck, Unintentional	1,315
5	Fall, Unintentional	13	5	Unspecified, Unintentional	146	5	Unspecified, Unintentional	1,095
	Other	67		Other	647		Other	3,948
<b>TOTAL</b>		<b>233</b>	<b>TOTAL</b>		<b>2,424</b>	<b>TOTAL</b>		<b>13,271</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* SAMPSON			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* SAMPSON			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* SAMPSON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	78	1	Fall, Unintentional	651	1	Fall, Unintentional	2,779
2	Poisoning, Unintentional	26	2	MVT, Unintentional	344	2	MVT, Unintentional	1,919
3	Fall, Unintentional	24	3	Unspecified, Unintentional	217	3	Struck, Unintentional	1,293
4	Firearm, Assault	19	4	Poisoning, Self inflicted	111	4	Overexertion, Unintentional	1,268
5	Unspecified, Unintentional	12	5	Other spec/class, Unintentional	100	5	Unspecified, Unintentional	992
	Other	65		Other	647		Other	3,897
<b>TOTAL</b>		<b>224</b>	<b>TOTAL</b>		<b>2,070</b>	<b>TOTAL</b>		<b>12,148</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* SCOTLAND			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* SCOTLAND			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* SCOTLAND		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	41	1	Fall, Unintentional	462	1	Fall, Unintentional	1,827
2	Poisoning, Unintentional	18	2	MVT, Unintentional	176	2	MVT, Unintentional	1,186
3	Firearm, Assault	15	3	Poisoning, Self inflicted	106	3	Struck, Unintentional	905
4	Firearm, Self inflicted	9	4	Poisoning, Unintentional	84	4	Overexertion, Unintentional	719
5	Fall, Unintentional	8	5	Unspecified, Unintentional	82	5	Unspecified, Unintentional	705
	Other	30		Other	396		Other	2,410
<b>TOTAL</b>		<b>121</b>	<b>TOTAL</b>		<b>1,306</b>	<b>TOTAL</b>		<b>7,752</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* STANLY			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* STANLY			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* STANLY		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	55	1	Fall, Unintentional	841	1	Fall, Unintentional	1,222
2	Firearm, Self inflicted	30	2	MVT, Unintentional	267	2	MVT, Unintentional	582
3	Poisoning, Unintentional	24	3	Unspecified, Unintentional	144	3	Overexertion, Unintentional	491
4	Fall, Unintentional	17	4	Poisoning, Self inflicted	121	4	Struck, Unintentional	461
5	Suffocation, Unintentional; Poisoning, Self inflicted	11	5	Other spec/class, Unintentional	100	5	Unspecified, Unintentional	421
	Other	40		Other	0		Other	1,684
<b>TOTAL</b>		<b>188</b>	<b>TOTAL</b>		<b>0</b>	<b>TOTAL</b>		<b>4,861</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* STOKES			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* STOKES			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* STOKES		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	40	1	Fall, Unintentional	651	1	Fall, Unintentional	2,662
2	Firearm, Self inflicted	18	2	MVT, Unintentional	218	2	Struck, Unintentional	1,169
3	Poisoning, Unintentional	16	3	Poisoning, Self inflicted	129	3	MVT, Unintentional	843
4	Unspecified, Unintentional	15	4	Unspecified, Unintentional	93	4	Unspecified, Unintentional	809
5	Fall, Unintentional	12	5	Poisoning, Unintentional	64	5	Cut/ Pierce, Unintentional	708
	Other	46		Other	404		Other	2,668
<b>TOTAL</b>		<b>147</b>	<b>TOTAL</b>		<b>1,559</b>	<b>TOTAL</b>		<b>8,859</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* SURRY			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* SURRY			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* SURRY		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	62	1	Fall, Unintentional	1,334	1	Fall, Unintentional	4,848
2	Poisoning, Unintentional	47	2	MVT, Unintentional	333	2	Overexertion, Unintentional	1,893
3	Firearm, Self inflicted	34	3	Poisoning, Self inflicted	241	3	MVT, Unintentional	1,762
4	Fall, Unintentional	25	4	Unspecified, Unintentional	185	4	Struck, Unintentional	1,745
5	Unspecified, Unintentional	17	5	Poisoning, Unintentional	144	5	Cut/ Pierce, Unintentional	1,230
	Other	72		Other	649		Other	5,230
<b>TOTAL</b>		<b>257</b>	<b>TOTAL</b>		<b>2,886</b>	<b>TOTAL</b>		<b>16,708</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* SWAIN			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* SWAIN			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* SWAIN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	16	1	Fall, Unintentional	219	1	Fall, Unintentional	663
2	Poisoning, Unintentional	15	2	MVT, Unintentional	66	2	Struck, Unintentional	270
3	Firearm, Assault	6	3	Unspecified, Unintentional	59	3	Cut/ Pierce, Unintentional	232
4	Firearm, Self inflicted; Fall, Unintentional	5	4	Poisoning, Self inflicted	45	4	Overexertion, Unintentional	228
5	Unspecified, Unintentional	3	5	Poisoning, Unintentional	44	5	MVT, Unintentional	195
	Other	10		Other	149		Other	788
<b>TOTAL</b>		<b>60</b>	<b>TOTAL</b>		<b>582</b>	<b>TOTAL</b>		<b>2,376</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* TRANSYLVANIA			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* TRANSYLVANIA			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* TRANSYLVANIA		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	21	1	Fall, Unintentional	515	1	Fall, Unintentional	2,396
2	MVT, Unintentional	16	2	MVT, Unintentional	103	2	Struck, Unintentional	1,095
3	Unspecified, Unintentional; Firearm, Self inflicted	15	3	Poisoning, Self inflicted	68	3	Overexertion, Unintentional	1,019
4	Fall, Unintentional	9	4	Unspecified, Unintentional	56	4	Unspecified, Unintentional	889
5	Suffocation, Unintentional	4	5	Poisoning, Unintentional	50	5	Cut/ Pierce, Unintentional	675
	Other	17		Other	240		Other	2,392
<b>TOTAL</b>		<b>97</b>	<b>TOTAL</b>		<b>1,032</b>	<b>TOTAL</b>		<b>8,466</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* TYRRELL			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* TYRRELL			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* TYRRELL		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	3	1	Fall, Unintentional	33	1	Fall, Unintentional	88
2	Fall, Unintentional	2	2	MVT, Unintentional	9	2	MVT, Unintentional	50
3	Transport, other, Unintentional; Poisoning, Self inflicted; Firearm, Undetermined	1	3	Natural/ Environ, Unintentional	7	3	Struck, Unintentional	44
4			4	Poisoning, Self inflicted	6	4	Overexertion, Unintentional	33
5			5	Unspecified, Unintentional	5	5	Unspecified, Unintentional	25
	Other	0		Other	22		Other	91
<b>TOTAL</b>		<b>8</b>	<b>TOTAL</b>		<b>82</b>	<b>TOTAL</b>		<b>331</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* UNION			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* UNION			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* UNION		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	126	1	Fall, Unintentional	1,488	1	Fall, Unintentional	5,500
2	Poisoning, Unintentional	45	2	MVT, Unintentional	546	2	MVT, Unintentional	3,505
3	Firearm, Self inflicted	33	3	Unspecified, Unintentional	306	3	Struck, Unintentional	2,675
4	Fall, Unintentional	28	4	Other spec/class, Unintentional	250	4	Overexertion, Unintentional	2,584
5	Firearm, Assault	27	5	Poisoning, Self inflicted	208	5	Unspecified, Unintentional	2,540
	Other	83		Other	997		Other	7,399
<b>TOTAL</b>		<b>342</b>	<b>TOTAL</b>		<b>3,795</b>	<b>TOTAL</b>		<b>24,203</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* VANCE			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* VANCE			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* VANCE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	29	1	Fall, Unintentional	497	1	Fall, Unintentional	837
2	MVT, Unintentional	26	2	MVT, Unintentional	206	2	MVT, Unintentional	507
3	Firearm, Assault	17	3	Unspecified, Unintentional	87	3	Overexertion, Unintentional	406
4	Fall, Unintentional	16	4	Poisoning, Self inflicted	80	4	Struck, Unintentional	378
5	Firearm, Self inflicted	10	5	Other spec/class, Unintentional	67	5	Cut/ Pierce, Unintentional	235
	Other	40		Other	446		Other	1,073
<b>TOTAL</b>		<b>138</b>	<b>TOTAL</b>		<b>1,383</b>	<b>TOTAL</b>		<b>3,436</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* WAKE			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* WAKE			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* WAKE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	355	1	Fall, Unintentional	5,974	1	Fall, Unintentional	26,187
2	Poisoning, Unintentional	163	2	MVT, Unintentional	2,041	2	MVT, Unintentional	15,080
3	Fall, Unintentional	144	3	Unspecified, Unintentional	1,125	3	Struck, Unintentional	14,095
4	Firearm, Self inflicted	130	4	Poisoning, Self inflicted	1,034	4	Overexertion, Unintentional	9,014
5	Firearm, Assault	71	5	Other spec/class, Unintentional	842	5	Cut/ Pierce, Unintentional	7,111
	Other	376		Other	4,348		Other	28,513
<b>TOTAL</b>		<b>1,239</b>	<b>TOTAL</b>		<b>15,364</b>	<b>TOTAL</b>		<b>100,000</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* WARREN			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* WARREN			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* WARREN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	39	1	Fall, Unintentional	190	1	Fall, Unintentional	265
2	Firearm, Assault	7	2	MVT, Unintentional	82	2	MVT, Unintentional	185
3	Unspecified, Unintentional; Firearm, Self inflicted; Fall, Unintentional	5	3	Unspecified, Unintentional	44	3	Struck, Unintentional	98
4	Poisoning, Unintentional; Drowning, Unintentional	3	4	Poisoning, Unintentional; Poisoning, Self inflicted	15	4	Overexertion, Unintentional	97
5	Unspecified, Assault; Suffocation, Unintentional; Cut/ Pierce, Assault	2	5	Natural/ Environ, Unintentional; Fire/ Burn, Unintentional	14	5	Natural/ Environ, Unintentional	58
	Other	5		Other	107		Other	249
<b>TOTAL</b>		<b>78</b>	<b>TOTAL</b>		<b>481</b>	<b>TOTAL</b>		<b>952</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* WASHINGTON			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* WASHINGTON			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* WASHINGTON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	12	1	Fall, Unintentional	135	1	Fall, Unintentional	149
2	Firearm, Self inflicted	5	2	MVT, Unintentional	45	2	MVT, Unintentional	130
3	Fire/ Burn, Unintentional	4	3	Poisoning, Unintentional	27	3	Overexertion, Unintentional	65
4	Fall, Unintentional	3	4	Poisoning, Self inflicted	23	4	Struck, Unintentional	55
5	Unspecified, Unintentional; Unspecified, Assault; Poisoning, Unintentional; Other land transport, Unintentional; Firearm, Assault; Cut/ Pierce, Assault	1	5	Unspecified, Unintentional	20	5	Unspecified, Unintentional	43
	Other	0		Other	83		Other	157
<b>TOTAL</b>		<b>30</b>	<b>TOTAL</b>		<b>333</b>	<b>TOTAL</b>		<b>599</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* WATAUGA			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* WATAUGA			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* WATAUGA		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	23	1	Fall, Unintentional	419	1	Fall, Unintentional	888
2	Poisoning, Unintentional; Fall, Unintentional	15	2	Unspecified, Unintentional	86	2	Struck, Unintentional	324
3	Firearm, Self inflicted	14	3	MVT, Unintentional	76	3	Overexertion, Unintentional	316
4	Suffocation, Unintentional; Fire/ Burn, Unintentional	6	4	Poisoning, Self inflicted	72	4	MVT, Unintentional	288
5	Suffocation, Self inflicted	5	5	Other spec/class, Unintentional	42	5	Cut/ Pierce, Unintentional	214
	Other	22		Other	261		Other	820
<b>TOTAL</b>		<b>106</b>	<b>TOTAL</b>		<b>956</b>	<b>TOTAL</b>		<b>2,850</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* WAYNE			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* WAYNE			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* WAYNE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	95	1	Fall, Unintentional	1,364	1	Fall, Unintentional	5,454
2	Firearm, Assault	41	2	Unspecified, Unintentional	593	2	MVT, Unintentional	3,498
3	Firearm, Self inflicted	38	3	MVT, Unintentional	471	3	Struck, Unintentional	2,726
4	Poisoning, Unintentional	25	4	Poisoning, Self inflicted	291	4	Overexertion, Unintentional	1,917
5	Fall, Unintentional	20	5	Other spec/class, Unintentional	169	5	Unspecified, Unintentional	1,802
	Other	93		Other	1,122		Other	7,396
<b>TOTAL</b>		<b>312</b>	<b>TOTAL</b>		<b>4,010</b>	<b>TOTAL</b>		<b>22,793</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* WILKES			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* WILKES			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* WILKES		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	63	1	Fall, Unintentional	1,065	1	Fall, Unintentional	494
2	Poisoning, Unintentional	62	2	MVT, Unintentional	323	2	MVT, Unintentional	299
3	Firearm, Self inflicted	36	3	Poisoning, Self inflicted	263	3	Struck, Unintentional	171
4	Fall, Unintentional	29	4	Unspecified, Unintentional	169	4	Overexertion, Unintentional	144
5	Unspecified, Unintentional	15	5	Poisoning, Unintentional	138	5	Poisoning, Unintentional	135
	Other	55		Other	674		Other	678
<b>TOTAL</b>		<b>260</b>	<b>TOTAL</b>		<b>2,632</b>	<b>TOTAL</b>		<b>1,921</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* WILSON			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* WILSON			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* WILSON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	80	1	Fall, Unintentional	924	1	Fall, Unintentional	1,534
2	Fall, Unintentional	38	2	MVT, Unintentional	276	2	MVT, Unintentional	1,141
3	Firearm, Assault	27	3	Unspecified, Unintentional	191	3	Overexertion, Unintentional	885
4	Firearm, Self inflicted	15	4	Poisoning, Self inflicted	182	4	Struck, Unintentional	684
5	Suffocation, Unintentional	14	5	Other spec/class, Unintentional	99	5	Unspecified, Unintentional	680
	Other	72		Other	535		Other	2,197
<b>TOTAL</b>		<b>246</b>	<b>TOTAL</b>		<b>2,207</b>	<b>TOTAL</b>		<b>7,121</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* YADKIN			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* YADKIN			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* YADKIN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	31	1	Fall, Unintentional	562	1	Fall, Unintentional	1,462
2	Poisoning, Unintentional	24	2	MVT, Unintentional	174	2	Struck, Unintentional	658
3	Firearm, Self inflicted	16	3	Poisoning, Self inflicted	112	3	MVT, Unintentional	583
4	Unspecified, Unintentional	11	4	Unspecified, Unintentional	105	4	Overexertion, Unintentional	480
5	Suffocation, Unintentional	10	5	Poisoning, Unintentional; Other spec/class, Unintentional	61	5	Unspecified, Unintentional	461
	Other	38		Other	284		Other	1,480
<b>TOTAL</b>		<b>130</b>	<b>TOTAL</b>		<b>1,359</b>	<b>TOTAL</b>		<b>5,124</b>

Leading Causes of Injury Death ALL AGES: N.C. 2004-2007* YANCEY			Leading Causes of Injury Hospitalization** ALL AGES: N.C. 2004-2007* YANCEY			Leading Causes of Injury ED Visits** ALL AGES: N.C. 2006-2007* YANCEY		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	16	1	Fall, Unintentional	313	1	Fall, Unintentional	230
2	Poisoning, Unintentional; Firearm, Self inflicted	11	2	MVT, Unintentional	77	2	MVT, Unintentional	164
3	Fall, Unintentional	7	3	Poisoning, Unintentional	48	3	Struck, Unintentional	48
4	Unspecified, Unintentional	4	4	Unspecified, Unintentional	42	4	Overexertion, Unintentional	37
5	Suffocation, Unintentional; Poisoning, Undetermined; Poisoning, Self inflicted	2	5	Other spec/class, Unintentional	34	5	Transport, other, Unintentional	36
	Other	7		Other	164		Other	227
<b>TOTAL</b>		<b>62</b>	<b>TOTAL</b>		<b>678</b>	<b>TOTAL</b>		<b>742</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.